



Certificate of Analysis (COA)

Report Number: 23-096314
Report Date : 02/24/2023

ABC Testing - 1169 Warner Ave, Tustin, CA, 92780 Phone:714-259-0384

Samples Received : 02/23/2023
Start of Testing : 02/23/2023
PO Number :
Sample Name : MSM 40 Mesh 99%
Item # : 81700165
Lot # : 020623-01
Lab # : 001

Test Code	Analysis - Method	Result	Spec
MSM01	Methylsulfonylmethane (MSM) (GC) SOP 3.2.12	100.08%	98-102%

Sample Temperature Upon Receipt : 25.0 deg C
Remarks :

ABC Testing is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. ABC is not an FDA drug registered facility, therefore any data or results provided by ABC are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

For Questions or Comments Contact : Katerina Baldwin
714-259-0384 or
Katerina.Baldwin@abctestestinginc.com

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to ABC Testing.

First Approval By : Herbert Medrano
Second Approval By : Sydney Payne

 Signature : *H Medrano*

 Signature : *SP*