

MY CO2 GROUP SDN BHD

202201032134 (1477831-M)

MY CO2 (PG) SDN BHD | SAMM No. 384

201701042071 (1256244-P)

MY CO2 (KL) SDN BHD | SAMM No. 564

201501029820 (1155142-M)

MY CO2 (JB) SDN BHD | SAMM No. 752

201501029979 (1155302-A)

MY CO2 CERTIFICATION SDN BHD

201601026813 (1197752-X)

MY CO2 SDN BHD

200601024684 (744438-M)

SAMM 384
SAMM 564
SAMM 752ACB QMS 26
ACB OSH 10
ACB FSMS 09

16, Lengkok Kikik 1, Taman Inderawasih, 13600 Perai, Penang, Malaysia.

40, Jalan Sepadu B25/B, 40400 Shah Alam, Selangor, Malaysia.

15, Jalan Molek 1/8, Taman Molek, 81100 Johor Bahru, Johor, Malaysia.

T: 04-380 8282

T: 03-5122 3366

T: 07-355 8811

F: 04-380 8280

F: 03-5122 3386

F: 07-355 9808

lmscompliance.com

www.myco2.com.my

enquiry@myco2.com.my

Certificate of AnalysisLab Ref No.: **AL2311-D00370T1**SN: **RS1179148750542007**

Page 1 / 4

Nyeoh Yeong Sheng

QA Manager

IKM No: L/1910/6319/12 Food Analyst No: MJMM0491

AN1: RA1728769031416137

PHYTOGAIA SDN BHD

#SUITE043, D1-0-03, BLOK D1

JALAN 1/152, OUG PARKLANE

KUALA LUMPUR KUALA LUMPUR

MALAYSIA

Poh Tze Kye

Laboratory Manager

IKM No.: M/2458/6147/11/12

AN2: RA8706514647687018

Date of Received: 2023-11-29

Date of Commence: 2023-12-01

Date of Completion: 2023-12-29

Date of Issue: 2024-01-03

Sample Marking:

MCTGaia OS (Batch Number : PGMCTMM6040OS-102023001)

Sample Description:

One food sample

Remark: ND = Not Detected

Test Description	Unit	Result(s)	Method or Equipment Used
Aerobic Plate Count	cfu/g	ND <10	FDA-BAM Chapter 3 (2001)
Total Yeast & Mold Count	cfu/g	ND <10	FDA-BAM Chapter 18 (2001)
Escherichia coli	cfu/g	ND <10	FDA-BAM Chapter 4 (2017) (Solid Medium Method)
Coliform	cfu/g	ND <10	FDA-BAM Chapter 4 (2017) (Solid Medium Method)
Salmonella	in 25g	Absent	FDA-BAM Chapter 5 (2018)
Staphylococcus aureus	cfu/g	ND <10	FDA-BAM Chapter 12 (2016) (Spread Plate Method)
Arsenic (as As)	mg/kg	ND <0.05	MY/STP/375 based on AOAC 999.10, 20th Ed (2016) (Microwave digestion), analyzed by ICP-OES
Lead (as Pb)	mg/kg	ND <0.02	MY/STP/375 based on AOAC 999.10, 20th Ed (2016) (Microwave digestion), analyzed by ICP-OES
Cadmium (as Cd)	mg/kg	ND <0.05	MY/STP/375 based on AOAC 999.10, 20th Ed (2016) (Microwave digestion), analyzed by ICP-OES



N/A



Authentication

MY CO2 GROUP SDN BHD

202201032134 (1477831-M)

MY CO2 (PG) SDN BHD | SAMM No. 384

201701042071 (1256244-P)

MY CO2 (KL) SDN BHD | SAMM No. 564

201501029820 (1155142-M)

MY CO2 (JB) SDN BHD | SAMM No. 752

201501029979 (1155302-A)

MY CO2 CERTIFICATION SDN BHD

201601026813 (1197752-X)

MY CO2 SDN BHD

200601024684 (744438-M)

SAMM 384
SAMM 564
SAMM 752ACB QMS 26
ACB OSH 10
ACB FSMS 09

16, Lengkok Kikik 1, Taman Inderawasih, 13600 Perai, Penang, Malaysia.

40, Jalan Sepadu B25/B, 40400 Shah Alam, Selangor, Malaysia.

15, Jalan Molek 1/8, Taman Molek, 81100 Johor Bahru, Johor, Malaysia.

T: 04-380 8282

T: 03-5122 3366

T: 07-355 8811

F: 04-380 8280

F: 03-5122 3386

F: 07-355 9808

lmscompliance.com

www.myco2.com.my

enquiry@myco2.com.my

Certificate of AnalysisLab Ref No.: **AL2311-D00370T1**SN: **RS1179148750542007**

Page 2 / 4

Nyeoh Yeong Sheng

QA Manager

IKM No: L/1910/6319/12 Food Analyst No: MJMM0491

AN1: RA1728769031416137

Poh Tze Kye

Laboratory Manager

IKM No.: M/2458/6147/11/12

AN2: RA8706514647687018

Test Description	Unit	Result(s)	Method or Equipment Used
Mercury (as Hg)	mg/kg	ND <0.05	MY/STP/375 based on AOAC 999.10, 20th Ed (2016) (Microwave digestion), analyzed by ICP-OES
Colour++		0.2 Yellow	MPOB P4.1:2004
Acid value / Acidity	mg KOH/g	0.03	MPOB P2.5: 2004
Peroxide Value	meq/kg	0.6	MPOB P2.3: 2004
Saponification Value	mg KOH/g	339.0	MPOB P3.1: 2004
Iodine Value	g I2/100g	ND< 0.1	MPOB P3.2:2004
Hydroxyl Value*	mg KOH/g	4.0	AOAC 965.32 17th Ed
Moisture & Impurities	%w/w	ND < 0.1	MPOB P2.1 Part 1 : 2004 & MPOB P2.2 2004
Butanoic acid (C4: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Hexanoic acid (C6: 0)	%	0.10	AOAC 996.06, 20th Ed (2016)
Octanoic acid (C8: 0)	%	55.92	AOAC 996.06, 20th Ed (2016)
Decanoic acid (C10: 0)	%	42.74	AOAC 996.06, 20th Ed (2016)
Undecanoic acid (C11: 0)	%	0.05	AOAC 996.06, 20th Ed (2016)
Lauric acid (C12: 0)	%	0.29	AOAC 996.06, 20th Ed (2016)
Tridecylic acid (C13: 0)	%	0.10	AOAC 996.06, 20th Ed (2016)
Tetradecanoic acid (C14: 0)	%	0.10	AOAC 996.06, 20th Ed (2016)
Myristoleic acid (C14: 1n5)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Pentadecanoic acid (C15: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Pentadecenoic acid (C15: 1n5)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Palmitic acid (C16: 0)	%	0.35	AOAC 996.06, 20th Ed (2016)

This report is strictly not for circulation, advertising or legal proceeding purpose and cannot be reproduced except in full without written approval of the laboratory. **Test report issued by MY CO2 (KL) Sdn. Bhd.** Symbol * denote test not accredited. Symbol + denote test externally provided and accredited at SAMM384. Symbol ++ denote test externally provided and accredited at SAMM752. Symbol # denote test externally provided and accredited. The replacement report is indicated with Tr suffix to the original lab ref. no. Symbol 'r' denote the designated revision number. The latest revision number shall deem to be the final replacement report. Electronic signature is compliance to 21 CFR Part 11.



N/A



Authentication

MY CO2 GROUP SDN BHD

202201032134 (1477831-M)

MY CO2 (PG) SDN BHD | SAMM No. 384

201701042071 (1256244-P)

MY CO2 (KL) SDN BHD | SAMM No. 564

201501029820 (1155142-M)

MY CO2 (JB) SDN BHD | SAMM No. 752

201501029979 (1155302-A)

MY CO2 CERTIFICATION SDN BHD

201601026813 (1197752-X)

MY CO2 SDN BHD

200601024684 (744438-M)

SAMM 384
SAMM 564
SAMM 752ACB QMS 26
ACB OSH 10
ACB FSMS 09

16, Lengkok Kikik 1, Taman Inderawasih, 13600 Perai, Penang, Malaysia.

40, Jalan Sepadu B25/B, 40400 Shah Alam, Selangor, Malaysia.

15, Jalan Molek 1/8, Taman Molek, 81100 Johor Bahru, Johor, Malaysia.

T: 04-380 8282

T: 03-5122 3366

T: 07-355 8811

F: 04-380 8280

F: 03-5122 3386

F: 07-355 9808

lmscompliance.com

www.myc02.com.my

enquiry@myco2.com.my

Certificate of AnalysisLab Ref No.: **AL2311-D00370T1**SN: **RS1179148750542007**

Page 3 / 4

Nyeoh Yeong Sheng

QA Manager

IKM No: L/1910/6319/12 Food Analyst No: MJMM0491

AN1: RA1728769031416137

Poh Tze Kye

Laboratory Manager

IKM No.: M/2458/6147/11/12

AN2: RA8706514647687018

Test Description	Unit	Result(s)	Method or Equipment Used
Palmitoleic acid (C16: 1n7)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Heptadecanoic acid (C17: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Heptadecenoic acid (C17: 1n7)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Stearic acid (C18: 0)	%	0.09	AOAC 996.06, 20th Ed (2016)
Elaidic acid (C18: 1n9t)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Oleic acid (C18: 1n9c)	%	0.27	AOAC 996.06, 20th Ed (2016)
Trans-linoleic acid (C18: 2n6t)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Linoleic acid (C18: 2n6c)	%	0.09	AOAC 996.06, 20th Ed (2016)
Arachidic acid (C20: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
γ - linolenic acid (C18: 3n6)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Eicosenoic acid (C20: 1)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
α - linolenic acid (C18: 3n3)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Heneicosanoic acid (C21: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Eicosadienoic acid (C20: 2n6)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Behenic acid (C22: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Eicosatrienoic acid (C20: 3n6)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Erucic acid (C22: 1n9)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Eicosatrienoic acid (C20: 3n3)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Arachidonic acid (C20: 4n6)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Tricosanoic acid (C23: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Docosadienoic acid (C22: 2n6)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Tetracosanoic acid (C24: 0)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)

This report is strictly not for circulation, advertising or legal proceeding purpose and cannot be reproduced except in full without written approval of the laboratory. **Test report issued by MY CO2 (KL) Sdn. Bhd.** Symbol * denote test not accredited. Symbol + denote test externally provided and accredited at SAMM384. Symbol ++ denote test externally provided and accredited at SAMM752. Symbol # denote test externally provided and accredited. The replacement report is indicated with Tr suffix to the original lab ref. no. Symbol 'r' denote the designated revision number. The latest revision number shall deem to be the final replacement report. Electronic signature is compliance to 21 CFR Part 11.



N/A



Authentication

MY CO2 GROUP SDN BHD

202201032134 (1477831-M)

MY CO2 (PG) SDN BHD | SAMM No. 384

201701042071 (1256244-P)

MY CO2 (KL) SDN BHD | SAMM No. 564

201501029820 (1155142-M)

MY CO2 (JB) SDN BHD | SAMM No. 752

201501029979 (1155302-A)

MY CO2 CERTIFICATION SDN BHD

201601026813 (1197752-X)

MY CO2 SDN BHD

200601024684 (744438-M)



SAMM 384
SAMM 564
SAMM 752



ACB QMS 26
ACB OSH 10
ACB FSMS 09

16, Lengkok Kikik 1, Taman Inderawasih, 13600 Perai, Penang, Malaysia.
40, Jalan Sepadu B25/B, 40400 Shah Alam, Selangor, Malaysia.
15, Jalan Molek 1/8, Taman Molek, 81100 Johor Bahru, Johor, Malaysia.

T: 04-380 8282
T: 03-5122 3366
T: 07-355 8811

F: 04-380 8280
F: 03-5122 3386
F: 07-355 9808

lmscompliance.com
www.myco2.com.my
enquiry@myco2.com.my

Certificate of Analysis

Lab Ref No.: **AL2311-D00370T1**

SN: **RS1179148750542007**

Page 4 / 4

Nyeoh Yeong Sheng

QA Manager

IKM No: L/1910/6319/12 Food Analyst No: MJMM0491

AN1: RA1728769031416137

Poh Tze Kye

Laboratory Manager

IKM No.: M/2458/6147/11/12

AN2: RA8706514647687018

Test Description	Unit	Result(s)	Method or Equipment Used
Eicosapentaenoic acid EPA (C20: 5n3)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Tetracosenoic acid (C24: 1n9)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Docosahexaenoic acid DHA (C22: 6n3)	%	ND <0.01	AOAC 996.06, 20th Ed (2016)
Appearance*		Transparent liquid	Visual

– END OF REPORT –

The above result(s) based on sample submitted. We shall not be responsible or liable for any damages or loses arising thereof.

